



# Certificate of Compliance

**Certificate:** 80016796

**Master Contract:** 300509

**Project:** 80029563

**Date Issued:** 2020-04-17

**Issued to:** Jetion Solar (China) Co.,Ltd.  
NO.1011 Zhencheng Road Shengang, Jiangyin Municipality,  
Jiangsu Province, 214443  
CHINA  
**Attention:** Yutao Gu

*The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only*



**Issued by:** Qiang (Sean) Jiang  
Qiang (Sean) Jiang

## PRODUCTS

CLASS 5311 10 - POWER SUPPLIES - Photovoltaic Modules and Panels

CLASS 5311 90 - POWER SUPPLIES - Photovoltaic Modules and Panels - Certified to U.S. Standards

Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 4, maximum system voltage of 1000 V dc, model series: JTxxxPAg (xxx=315-350, in steps of 5), Fuse rating 20A,

Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 4, maximum system voltage of 1000 V dc, model series: JTxxxPPg (xxx=265-290, in steps of 5), Fuse rating 20A,

Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 4, maximum system voltage of 1500 V dc, model series: JTxxxPAg(1500) (xxx=315-350, in steps of 5), Fuse rating 20A,

Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 4, maximum system voltage of 1500 V dc, model series: JTxxxPPg(1500) (xxx=265-290, in steps of 5), Fuse rating 20A,

Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 4, maximum system voltage of 1000 V dc, model series: JTxxxSAh (xxx=350-400, in steps of 5), Fuse rating 20A,

Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 4, maximum system voltage of 1000 V dc, model series: JTxxxSPh (xxx=295-330, in steps of 5), Fuse rating 20A,

Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 4, maximum system voltage of 1500 V dc, model series: JTxxxSAh(1500) (xxx=350-400, in steps of 5), Fuse rating 20A,

Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 4, maximum system voltage of 1500 V dc, model series: JTxxxSPh(1500) (xxx=295-330, in steps of 5), Fuse rating 20A,



**Certificate:** 80016796  
**Project:** 80029563

**Master Contract:** 300509  
**Date Issued:** 2020-04-17

Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 3, maximum system voltage of 1500 V dc, model series: JT330PTg, Fuse rating 20A,  
Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 3, maximum system voltage of 1500 V dc, model series: JT275PXg, Fuse rating 20A,  
Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 3, maximum system voltage of 1500 V dc, model series: JT365STh, Fuse rating 20A,  
Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 3, maximum system voltage of 1500 V dc, model series: JT305SXh, Fuse rating 20A,  
Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 1, maximum system voltage of 1000 V dc, model series: JTxxxPGh (xxx=320-355, in steps of 5), Fuse rating 20A,  
Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 1, maximum system voltage of 1000 V dc, model series: JTxxxPHh, (xxx=270 to 295 in step of 5), Fuse rating 20A,  
Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 1, maximum system voltage of 1500 V dc, model series: JTxxxPGh (1500) (xxx=320-355, in steps of 5), Fuse rating 20A,  
Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 1, maximum system voltage of 1500 V dc, model series: JTxxxPHh(1500), (xxx=270 to 295 in step of 5), Fuse rating 20A.  
Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 1, maximum system voltage of 1000 V dc, model series: JTxxxSGh, (xxx=350 to 400 in step of 5), Fuse rating 20A,  
Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 1, maximum system voltage of 1000 V dc, model series: JTxxxSHh, (xxx=295 to 335 in step of 5), Fuse rating 20A,  
Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 1, maximum system voltage of 1500 V dc, model series: JTxxxSGh(1500), (xxx=350 to 400 in step of 5), Fuse rating 20A,  
Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Type 1, maximum system voltage of 1500 V dc, model series: JTxxxSHh(1500), (xxx=295 to 335 in step of 5), Fuse rating 20A.  
Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Similar as Type 3 with frame, maximum system voltage of 1500 V dc, model series: JTxxxSSh, (xxx=360 to 390 in step of 5), Fuse rating 20A,  
Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Similar as Type 3 with frame, maximum system voltage of 1500 V dc, model series: JTxxxSIh, (xxx=300 to 325 in step of 5), Fuse rating 20A,  
Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Similar as Type 3 with frame,, maximum system voltage of 1500 V dc, model series: JTxxxSTh(B), (xxx=350 to 395 in step of 5), Fuse rating 20A,  
Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Similar as Type 3 with frame,, maximum system voltage of 1500 V dc, model series: JTxxxSXh(B), (xxx=295 to 330 in step of 5), Fuse rating 20A.  
Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Similar as Type 3 with frame, maximum system voltage of 1500 V dc, model series: JTxxxPSH, (xxx=330 to 350 in step of 5), Fuse rating 20A,  
Photovoltaic modules with Fire class (Canada): Class C, Fire Performance (USA) Similar as Type 3 with frame, maximum system voltage of 1500 V dc, model series: JTxxxPIh, (xxx=275 to 290 in step of 5), Fuse rating 20A.

Notes:

1. Rated electrical characteristics are within +/-10% of measured values at Standard Test Conditions of 100 mW/cm<sup>2</sup> irradiance, AM 1.5 spectrum, and cell temperature of 25°C.



**Certificate:** 80016796  
**Project:** 80029563

**Master Contract:** 300509  
**Date Issued:** 2020-04-17

| Model  | Open Circuit Voltage at STC (V dc) | Short Circuit Current at STC (A dc) | Rated Voltage at STC (V dc) | Rated Current at STC (A dc) | Rated Maximum Power at STC (Watts) |
|--|------------------------------------|-------------------------------------|-----------------------------|-----------------------------|------------------------------------|
| <b>JTxxxPAg (xxx=315-350, in steps of 5)</b>       |                                    |                                     |                             |                             |                                    |
| JT315PAg   | 45.2                               | 9.14                                | 36.7                        | 8.63                        | 315                                |
| JT320PAg   | 45.4                               | 9.23                                | 36.9                        | 8.72                        | 320                                |
| JT325PAg   | 45.6                               | 9.27                                | 37.1                        | 8.81                        | 325                                |
| JT330PAg   | 45.7                               | 9.35                                | 37.3                        | 8.89                        | 330                                |
| JT335PAg   | 45.9                               | 9.42                                | 37.5                        | 8.97                        | 335                                |
| JT340PAg   | 46.1                               | 9.50                                | 37.7                        | 9.06                        | 340                                |
| JT345PAg   | 46.3                               | 9.57                                | 37.9                        | 9.13                        | 345                                |
| JT350PAg   | 46.6                               | 9.63                                | 38.2                        | 9.19                        | 350                                |
| <b>JTxxxPPg (xxx=265-290, in steps of 5)</b>       |                                    |                                     |                             |                             |                                    |
| JT265PPg   | 37.7                               | 9.2                                 | 30.7                        | 8.69                        | 265                                |
| JT270PPg   | 37.9                               | 9.27                                | 30.9                        | 8.79                        | 270                                |
| JT275PPg   | 38.1                               | 9.35                                | 31.1                        | 8.89                        | 275                                |
| JT280PPg   | 38.3                               | 9.45                                | 31.3                        | 9.00                        | 280                                |
| JT285PPg   | 38.5                               | 9.54                                | 31.5                        | 9.10                        | 285                                |
| JT290PPg   | 38.8                               | 9.61                                | 31.8                        | 9.17                        | 290                                |
| <b>JTxxxPAg(1500) (xxx=315-350, in steps of 5)</b> |                                    |                                     |                             |                             |                                    |
| JT315PAg(1500)                                     | 45.2                               | 9.14                                | 36.7                        | 8.63                        | 315                                |
| JT320PAg(1500)                                     | 45.4                               | 9.23                                | 36.9                        | 8.72                        | 320                                |
| JT325PAg(1500)                                     | 45.6                               | 9.27                                | 37.1                        | 8.81                        | 325                                |
| JT330PAg(1500)                                     | 45.7                               | 9.35                                | 37.3                        | 8.89                        | 330                                |
| JT335PAg(1500)                                     | 45.9                               | 9.42                                | 37.5                        | 8.97                        | 335                                |
| JT340PAg(1500)                                     | 46.1                               | 9.50                                | 37.7                        | 9.06                        | 340                                |
| JT345PAg(1500)                                     | 46.3                               | 9.57                                | 37.9                        | 9.13                        | 345                                |
| JT350PAg(1500)                                     | 46.6                               | 9.63                                | 38.2                        | 9.19                        | 350                                |
| <b>JTxxxPPg(1500) (xxx=265-290, in steps of 5)</b> |                                    |                                     |                             |                             |                                    |
| JT265PPg(1500)                                     | 37.7                               | 9.20                                | 30.7                        | 8.69                        | 265                                |
| JT270PPg(1500)                                     | 37.9                               | 9.27                                | 30.9                        | 8.79                        | 270                                |
| JT275PPg(1500)                                     | 38.1                               | 9.35                                | 31.1                        | 8.89                        | 275                                |
| JT280PPg(1500)                                     | 38.3                               | 9.45                                | 31.3                        | 9.00                        | 280                                |
| JT285PPg(1500)                                     | 38.5                               | 9.54                                | 31.5                        | 9.10                        | 285                                |
| JT290PPg(1500)                                     | 38.8                               | 9.61                                | 31.8                        | 9.17                        | 290                                |
| <b>JTxxxSAh (xxx=350-400, in steps of 5)</b>       |                                    |                                     |                             |                             |                                    |
| JT 350SAh  | 46.85                              | 9.65                                | 38.6                        | 9.07                        | 350                                |
| JT 355SAh  | 46.9                               | 9.7                                 | 38.8                        | 9.15                        | 355                                |
| JT 360SAh  | 47.2                               | 9.75                                | 39.4                        | 9.14                        | 360                                |
| JT 365SAh  | 47.5                               | 9.81                                | 39.7                        | 9.2                         | 365                                |
| JT 370SAh  | 47.8                               | 9.87                                | 40                          | 9.25                        | 370                                |
| JT 375SAh  | 48.1                               | 9.93                                | 40.2                        | 9.33                        | 375                                |



**Certificate:** 80016796  
**Project:** 80029563

**Master Contract:** 300509  
**Date Issued:** 2020-04-17

| Model                                       | Open Circuit Voltage at STC (V dc) | Short Circuit Current at STC (A dc) | Rated Voltage at STC (V dc) | Rated Current at STC (A dc) | Rated Maximum Power at STC (Watts) |
|---|------------------------------------|-------------------------------------|-----------------------------|-----------------------------|------------------------------------|
| JT 380SAh                                   | 48.4                               | 9.99                                | 40.5                        | 9.39                        | 380                                |
| JT 385SAh                                   | 48.7                               | 10.05                               | 40.8                        | 9.44                        | 385                                |
| JT 390SAh                                   | 48.9                               | 10.11                               | 41.0                        | 9.52                        | 390                                |
| JT 395SAh                                   | 49.2                               | 10.16                               | 41.3                        | 9.57                        | 395                                |
| JT 400SAh                                   | 49.4                               | 10.23                               | 41.5                        | 9.64                        | 400                                |
| JTxxxSPh (xxx=295-330, in steps of 5),      |                                    |                                     |                             |                             |                                    |
| JT295SPh                                    | 39.0                               | 9.81                                | 31.9                        | 9.25                        | 295                                |
| JT300SPh                                    | 39.9                               | 9.74                                | 32.7                        | 9.18                        | 300                                |
| JT305SPh                                    | 40.1                               | 9.84                                | 32.9                        | 9.28                        | 305                                |
| JT310SPh                                    | 40.3                               | 9.94                                | 33.1                        | 9.37                        | 310                                |
| JT315SPh                                    | 40.6                               | 10.02                               | 33.4                        | 9.44                        | 315                                |
| JT320SPh                                    | 40.9                               | 10.10                               | 33.7                        | 9.50                        | 320                                |
| JT325SPh                                    | 41.2                               | 10.16                               | 34.0                        | 9.56                        | 325                                |
| JT330SPh                                    | 41.4                               | 10.25                               | 34.2                        | 9.65                        | 330                                |
| JTxxxSAh(1500) (xxx=350-400, in steps of 5) |                                    |                                     |                             |                             |                                    |
| JT 350SAh(1500)                             | 46.85                              | 9.65                                | 38.6                        | 9.07                        | 350                                |
| JT 355SAh(1500)                             | 46.90                              | 9.70                                | 38.8                        | 9.15                        | 355                                |
| JT 360SAh(1500)                             | 47.20                              | 9.75                                | 39.4                        | 9.14                        | 360                                |
| JT 365SAh(1500)                             | 47.50                              | 9.81                                | 39.7                        | 9.20                        | 365                                |
| JT 370SAh(1500)                             | 47.80                              | 9.87                                | 40.0                        | 9.25                        | 370                                |
| JT 375SAh(1500)                             | 48.10                              | 9.93                                | 40.2                        | 9.33                        | 375                                |
| JT 380SAh(1500)                             | 48.40                              | 9.99                                | 40.5                        | 9.39                        | 380                                |
| JT 385SAh(1500)                             | 48.7                               | 10.05                               | 40.8                        | 9.44                        | 385                                |
| JT 390SAh(1500)                             | 48.9                               | 10.11                               | 41.0                        | 9.52                        | 390                                |
| JT 395SAh(1500)                             | 49.2                               | 10.16                               | 41.3                        | 9.57                        | 395                                |
| JT 400SAh(1500)                             | 49.4                               | 10.23                               | 41.5                        | 9.64                        | 400                                |
| JTxxxSPh(1500) (xxx=295-330, in steps of 5) |                                    |                                     |                             |                             |                                    |
| JT295SPh(1500)                              | 39.0                               | 9.81                                | 31.9                        | 9.25                        | 295                                |
| JT300SPh(1500)                              | 39.9                               | 9.74                                | 32.7                        | 9.18                        | 300                                |
| JT305SPh(1500)                              | 40.1                               | 9.84                                | 32.9                        | 9.28                        | 305                                |
| JT310SPh(1500)                              | 40.3                               | 9.94                                | 33.1                        | 9.37                        | 310                                |
| JT315SPh(1500)                              | 40.6                               | 10.02                               | 33.4                        | 9.44                        | 315                                |
| JT320SPh(1500)                              | 40.9                               | 10.10                               | 33.7                        | 9.50                        | 320                                |
| JT325SPh(1500)                              | 41.2                               | 10.16                               | 34.0                        | 9.56                        | 325                                |
| JT330SPh(1500)                              | 41.4                               | 10.25                               | 34.2                        | 9.65                        | 330                                |
| JT330PTg                                    |                                    |                                     |                             |                             |                                    |
| JT330PTg                                    | 45.7                               | 9.35                                | 37.3                        | 8.85                        | 330                                |
| JT275PXg                                    |                                    |                                     |                             |                             |                                    |
| JT275PXg                                    | 38.1                               | 9.3                                 | 31.1                        | 8.85                        | 275                                |



**Certificate:** 80016796  
**Project:** 80029563

**Master Contract:** 300509  
**Date Issued:** 2020-04-17

| Model  | Open Circuit Voltage at STC (V dc) | Short Circuit Current at STC (A dc) | Rated Voltage at STC (V dc) | Rated Current at STC (A dc) | Rated Maximum Power at STC (Watts) |
|--|------------------------------------|-------------------------------------|-----------------------------|-----------------------------|------------------------------------|
| <b>JT365STh</b>  |                                    |                                     |                             |                             |                                    |
| JT365STh   | 48.02                              | 9.71                                | 39.7                        | 9.2                         | 365                                |
| <b>JT305SXh</b>  |                                    |                                     |                             |                             |                                    |
| JT305SXh   | 39.4                               | 9.93                                | 32.7                        | 9.33                        | 305                                |
| <b>JTxxxPGh, JTxxxPGh(1500) (xxx=320-355, in steps of 5)</b>   |                                    |                                     |                             |                             |                                    |
| JT320PGh/JT320PGh(1500)  | 45.4                               | 9.11                                | 36.8                        | 8.70                        | 320                                |
| JT325PGh/JT325PGh(1500)  | 45.6                               | 9.17                                | 37.0                        | 8.79                        | 325                                |
| JT330PGh/JT330PGh(1500)  | 45.8                               | 9.33                                | 37.2                        | 8.88                        | 330                                |
| JT335PGh/JT335PGh(1500)  | 46.0                               | 9.41                                | 37.4                        | 8.96                        | 335                                |
| JT340PGh/JT340PGh(1500)  | 46.2                               | 9.49                                | 37.6                        | 9.05                        | 340                                |
| JT345PGh/JT345PGh(1500)  | 46.4                               | 9.57                                | 37.8                        | 9.13                        | 345                                |
| JT350PGh/JT350PGh(1500)  | 46.6                               | 9.65                                | 38                          | 9.22                        | 350                                |
| JT355PGh/JT355PGh(1500)  | 46.8                               | 9.73                                | 38.2                        | 9.30                        | 355                                |
| <b>JTxxxPHh, JTxxxPHh(1500) (xxx=270 to 295 in step of 5)</b>  |                                    |                                     |                             |                             |                                    |
| JT270PHh/JT270PHh(1500)  | 37.9                               | 9.25                                | 30.7                        | 8.8                         | 270                                |
| JT275PHh/JT275PHh(1500)  | 38.1                               | 9.35                                | 30.9                        | 8.9                         | 275                                |
| JT280PHh/JT280PHh(1500)  | 38.3                               | 9.45                                | 31.1                        | 9.01                        | 280                                |
| JT285PHh/JT285PHh(1500)  | 38.5                               | 9.54                                | 31.3                        | 9.11                        | 285                                |
| JT290PHh/JT290PHh(1500)  | 38.7                               | 9.63                                | 31.5                        | 9.21                        | 290                                |
| JT295PHh/JT295PHh(1500)  | 38.9                               | 9.72                                | 31.7                        | 9.31                        | 295                                |
| <b>JTxxxSGh, JTxxxSGh(1500), (xxx=350 to 400 in step of 5)</b> |                                    |                                     |                             |                             |                                    |
| JT350SGh/JT350SGh(1500)  | 46.8                               | 9.56                                | 38.8                        | 9.03                        | 350                                |
| JT355SGh/JT355SGh(1500)  | 47.0                               | 9.64                                | 39.0                        | 9.11                        | 355                                |
| JT360SGh/JT360SGh(1500)  | 47.2                               | 9.72                                | 39.2                        | 9.19                        | 360                                |
| JT365SGh/JT365SGh(1500)  | 47.5                               | 9.79                                | 39.4                        | 9.27                        | 365                                |
| JT370SGh/JT370SGh(1500)  | 47.6                               | 9.87                                | 39.6                        | 9.35                        | 370                                |
| JT375SGh/JT375SGh(1500)  | 47.8                               | 9.95                                | 39.8                        | 9.43                        | 375                                |
| JT380SGh/JT380SGh(1500)  | 48.0                               | 10.02                               | 40.0                        | 9.51                        | 380                                |
| JT385SGh/JT385SGh(1500)  | 48.2                               | 10.09                               | 40.2                        | 9.58                        | 385                                |
| JT390SGh/JT390SGh(1500)  | 48.4                               | 10.16                               | 40.5                        | 9.64                        | 390                                |
| JT395SGh/JT395SGh(1500)  | 48.6                               | 10.23                               | 40.7                        | 9.71                        | 395                                |
| JT400SGh/JT400SGh(1500)  | 48.9                               | 10.29                               | 41.0                        | 9.76                        | 400                                |
| <b>JTxxxSHh, JTxxxSHh(1500), (xxx=295 to 330 in step of 5)</b> |                                    |                                     |                             |                             |                                    |
| JT295SHh/JT295SHh(1500)  | 38.9                               | 9.77                                | 32.1                        | 9.19                        | 295                                |
| JT300SHh/JT300SHh(1500)  | 39.1                               | 9.88                                | 32.3                        | 9.30                        | 300                                |
| JT305SHh/JT305SHh(1500)  | 39.3                               | 9.97                                | 32.5                        | 9.39                        | 305                                |
| JT310SHh/JT310SHh(1500)  | 39.6                               | 10.03                               | 32.9                        | 9.43                        | 310                                |
| JT315SHh/JT315SHh(1500)  | 39.9                               | 10.1                                | 33.1                        | 9.52                        | 315                                |
| JT320SHh/JT320SHh(1500)  | 40.2                               | 10.16                               | 33.4                        | 9.59                        | 320                                |



**Certificate:** 80016796  
**Project:** 80029563

**Master Contract:** 300509  
**Date Issued:** 2020-04-17

| Model                                      | Open Circuit Voltage at STC (V dc) | Short Circuit Current at STC (A dc) | Rated Voltage at STC (V dc) | Rated Current at STC (A dc) | Rated Maximum Power at STC (Watts) |
|--|------------------------------------|-------------------------------------|-----------------------------|-----------------------------|------------------------------------|
| JT325SHh/JT325SHh(1500)                    | 40.5                               | 10.2                                | 33.7                        | 9.65                        | 325                                |
| JT330SHh/JT330SHh(1500)                    | 40.8                               | 10.26                               | 34                          | 9.71                        | 330                                |
| JT335SHh/JT335SHh(1500)                    | 41.1                               | 10.3                                | 34.3                        | 9.77                        | 335                                |
| JTxxxSSh (xxx=360 to 390 in step of 5)     |                                    |                                     |                             |                             |                                    |
| JT360SSh                                   | 48                                 | 9.58                                | 39.2                        | 9.19                        | 360                                |
| JT365SSh                                   | 48.2                               | 9.66                                | 39.4                        | 9.27                        | 365                                |
| JT370SSh                                   | 48.4                               | 9.74                                | 39.6                        | 9.35                        | 370                                |
| JT375SSh                                   | 48.6                               | 9.82                                | 39.8                        | 9.43                        | 375                                |
| JT380SSh                                   | 48.8                               | 9.90                                | 40.0                        | 9.51                        | 380                                |
| JT385SSh                                   | 49.0                               | 9.97                                | 40.2                        | 9.58                        | 385                                |
| JT390SSh                                   | 49.3                               | 10.03                               | 40.5                        | 9.64                        | 390                                |
| JTxxxSIh (xxx=300 to 325 in step of 5)     |                                    |                                     |                             |                             |                                    |
| JT300SIh                                   | 39.2                               | 9.85                                | 32.4                        | 9.26                        | 300                                |
| JT305SIh                                   | 39.4                               | 9.93                                | 32.7                        | 9.33                        | 305                                |
| JT310SIh                                   | 39.6                               | 10.03                               | 32.9                        | 9.43                        | 310                                |
| JT315SIh                                   | 39.9                               | 10.1                                | 33.1                        | 9.52                        | 315                                |
| JT320SIh                                   | 40.2                               | 10.16                               | 33.4                        | 9.59                        | 320                                |
| JT325SIh                                   | 40.5                               | 10.2                                | 33.7                        | 9.65                        | 325                                |
| JTxxxSTh(B), (xxx=350 to 395 in step of 5) |                                    |                                     |                             |                             |                                    |
| JT350STh(B)                                | 47.51                              | 9.43                                | 39                          | 8.98                        | 350                                |
| JT355STh(B)                                | 47.68                              | 9.53                                | 39.2                        | 9.06                        | 355                                |
| JT360STh(B)                                | 47.85                              | 9.63                                | 39.4                        | 9.14                        | 360                                |
| JT365STh(B)                                | 48.02                              | 9.71                                | 39.7                        | 9.2                         | 365                                |
| JT370STh(B)                                | 48.19                              | 9.82                                | 40                          | 9.25                        | 370                                |
| JT375STh(B)                                | 48.28                              | 9.85                                | 40.2                        | 9.33                        | 375                                |
| JT380STh(B)                                | 48.37                              | 9.89                                | 40.5                        | 9.39                        | 380                                |
| JT385STh(B)                                | 48.46                              | 9.92                                | 40.2                        | 9.58                        | 385                                |
| JT390STh(B)                                | 48.55                              | 9.96                                | 40.5                        | 9.64                        | 390                                |
| JT395STh(B)                                | 48.65                              | 9.99                                | 40.7                        | 9.71                        | 395                                |
| JTxxxSXh(B), (xxx=295 to 330 in step of 5) |                                    |                                     |                             |                             |                                    |
| JT295SXh(B)                                | 38.9                               | 9.77                                | 32.1                        | 9.19                        | 295                                |
| JT300SXh(B)                                | 39.1                               | 9.87                                | 32.3                        | 9.3                         | 300                                |
| JT305SXh(B)                                | 39.4                               | 9.93                                | 32.7                        | 9.33                        | 305                                |
| JT310SXh(B)                                | 39.6                               | 10.03                               | 32.9                        | 9.43                        | 310                                |
| JT315SXh(B)                                | 39.9                               | 10.1                                | 33.1                        | 9.52                        | 315                                |
| JT320SXh(B)                                | 40.2                               | 10.16                               | 33.4                        | 9.59                        | 320                                |
| JT325SXh(B)                                | 40.5                               | 10.2                                | 33.7                        | 9.65                        | 325                                |
| JT330SXh(B)                                | 40.8                               | 10.26                               | 34.0                        | 9.71                        | 330                                |
| JTxxxPSh, (xxx=330 to 350 in step of 5)    |                                    |                                     |                             |                             |                                    |





**Certificate:** 80016796  
**Project:** 80029563

**Master Contract:** 300509  
**Date Issued:** 2020-04-17

| Model                                   | Open Circuit Voltage at STC (V dc) | Short Circuit Current at STC (A dc) | Rated Voltage at STC (V dc) | Rated Current at STC (A dc) | Rated Maximum Power at STC (Watts) |
|---|------------------------------------|-------------------------------------|-----------------------------|-----------------------------|------------------------------------|
| JT330PSh                                | 45.5                               | 9.35                                | 36.9                        | 8.95                        | 330                                |
| JT335PSh                                | 45.7                               | 9.43                                | 37.1                        | 9.03                        | 335                                |
| JT340PSh                                | 45.9                               | 9.52                                | 37.3                        | 9.12                        | 340                                |
| JT345PSh                                | 46.1                               | 9.6                                 | 37.5                        | 9.20                        | 345                                |
| JT350PSh                                | 46.3                               | 9.69                                | 37.7                        | 9.29                        | 350                                |
| JTxxxPIh, (xxx=275 to 290 in step of 5) |                                    |                                     |                             |                             |                                    |
| JT270PIh                                | 37.9                               | 9.25                                | 30.7                        | 8.8                         | 270                                |
| JT275PIh                                | 38.1                               | 9.35                                | 30.9                        | 8.9                         | 275                                |
| JT280PIh                                | 38.3                               | 9.45                                | 31.1                        | 9.01                        | 280                                |
| JT285PIh                                | 38.5                               | 9.54                                | 31.3                        | 9.11                        | 285                                |
| JT290PIh                                | 38.7                               | 9.63                                | 31.5                        | 9.21                        | 290                                |

**APPLICABLE REQUIREMENTS**

- CAN/CSA-C22.2 No. 61730-1:11 Photovoltaic (PV) module safety qualification - Part 1: Requirements for construction
- CAN/CSA-C22.2 No. 61730-2:11 Photovoltaic (PV) module safety qualification - Part 2: Requirements for testing
- UL 61730-1:2017 Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction
- UL 61730-2:2017 Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing



## Supplement to Certificate of Compliance

Certificate: 80016796

Master Contract: 300509

*The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.*

### Product Certification History

| Project  | Date       | Description   |
|----------|------------|---|
| 80029563 | 2020-04-17 | Update report 80016796 to add a new model series JTxxxPGh, JTxxxPGh(1500), JTxxxPHh, JTxxxPHh(1500), JTxxxSGh, JTxxxSGh(1500), JTxxxSHh, JTxxxSHh(1500), JTxxxSSh, JTxxxSIh, JTxxxSTh(B), JTxxxSXh(B), JTxxxPSh, JTxxxPIh with following new material: new glass (Tong Cheng) for both superstrate and substrate, half cell of JXP5BBH & JXS5BBH, new cell JXS5BBHA, new combination of encapsulation(e), new junction box (PV-ZH011C-2, FT50xy), new frame manufacturer JIANGSU YUEJIA |
| 80027399 | 2020-02-01 | Update report 80016796 to add a vina manufacturer   |
| 80016796 | 2019-09-25 | Original certificate, full investigation for model series JTxxxPAg, JTxxxPPg, JTxxxPAg(1500), JTxxxPPg(1500), JTxxxSAh, JTxxxSPh, JTxxxSAh(1500), JTxxxSPh(1500), JT330PTg, JT275PXg, JT365STh, JT305SXh  |