

CERTIFICATE

Issued to:
Applicant:
Jetion Solar (China) Co., Ltd.
No. 1011, Zhencheng Rd., Shengang Industrial
District,
214443 Jiangyin City Jiangsu, China

Licensee:
Jetion Solar (China) Co., Ltd.
No. 1011, Zhencheng Rd., Shengang Industrial
District,
214443 Jiangyin City Jiangsu, China

Product : Photovoltaic (PV) Module(s)
Trade name(s) : Jetion Solar
Type(s)/model(s) : PV module with mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to IEC 61701:2020 and EN IEC 61701:2020
- a periodic surveillance
- a DEKRA certification agreement with the number 6059520

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : Salt Mist Resistance
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 24 July 2023 and expires at the latest on 19 July 2028.

Certificate number: 31-119618 REV.2

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed



31-119618

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

Product	: Photovoltaic (PV) Module(s)
Trade name(s)	: Jetion Solar
Type(s)/model(s)	: JTxxxSEh(1500), JTxxxSFh(1500), JTxxxSGh(1500), JTxxxSHh(1500), JTxxxSJh(B), JTxxxSSh(B) and JTxxxSlh(B)
Maximum system voltage	: 1500V
Test condition	: Severity 6

Product data – type JTxxxSEh(1500)

Design	: PV module with mono c-Si cells (backsheet module)
Description	: xxx=390-415W, in steps of 5, 108 cells

Product data – type JTxxxSFh(1500)

Design	: PV module with mono c-Si cells (backsheet module)
Description	: xxx=480-505W, in steps of 5, 132 cells

Product data – type JTxxxSGh(1500)

Design	: PV module with mono c-Si cells (backsheet module)
Description	: xxx=430-450W, 520-550W, in steps of 5, 144 cells

Product data – type JTxxxSHh(1500)

Design	: PV module with mono c-Si cells (backsheet module)
Description	: xxx=355-375W, 435-460W, in steps of 5, 120 cells

Product data – type JTxxxSJh(B)

Design	: PV module with mono c-Si cells (double-glass module)
Description	: xxx=390-415W, in steps of 5, 108 cells

Product data – type JTxxxSlh(B)

Design	: PV module with mono c-Si cells (double-glass module)
Description	: xxx=355-380W, 435-460W, in steps of 5, 120 cells

Product data – type JTxxxSLh(B)

Design	: PV module with mono c-Si cells (double-glass module)
Description	: xxx=475-505W, in steps of 5, 132 cells

Product data – type JTxxxSSh(B)

Design	: PV module with mono c-Si cells (double-glass module)
Description	: xxx=430-455W, 520-555W, in steps of 5, 144 cells

TESTS**Test requirements**

IEC 61701:2020
EN IEC 61701:2020

Test result

The test results are laid down in DEKRA test file 614301200.

Additional information

This certificate replaces certificate No. 31-119618 REV.1 which we hereby declare invalid.

The list of components is laid down in test report 6143012D.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

Junfeng Solar (Jiangsu) Co., Ltd.
No.20, 21 Group, Tangang Village, Haian Industry Park
226600 Haian City Jiangsu, China

Jetion Solar (TongCheng) Co., Ltd.
3 North Road, Tongcheng Economic Development Zone
231400 Tongcheng City Anhui, China

Trade name(s): Jetion Solar stands for



Unique Identifier

